

DATE MAILED: 03/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/022,288	KULISH ET AL.	
	Examiner	Art Unit	
	MONZER R. CHORBAJI	1744	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).			
Status			
1) Responsive to communication(s) filed on 23 Fe	ebruary 2006.		
2a) This action is FINAL . 2b) ⊠ This	action is non-final.		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims			
 4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-19 is/are rejected. 			
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	r election requirement.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on 20 December 2001 is/an Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	re: a)⊠ accepted or b)⊡ object drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 Cl	FR 1.121(d).
Priority under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	D-152)

Application/Control Number: 10/022,288 Page 2

Art Unit: 1744

DETAILED ACTION

This non-final action is in response to the RCE/affidavit received on 02/23/2006 Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted state of the prior art in view of Korenev (U.S.P.N. 6,628,750).

With respect to claim 1, the specification teaches on page 4, numbered lines 12-22 that linear induction accelerators (LIA) are used as sterilizers; however, the specification fails to teach the following: using LIA with multiple radiation energy levels output, the output is in vacuum connection with the LIA, manipulating the output assembly so that radiation is distributed over the treatment area to non-destructively sterilize the material and transporting the material through the treatment region. The Korenev reference, which is in the art of sterilizing products conveyed through a treatment region by irradiating them with an electron accelerator, teaches the following: any type of linear accelerator can be used as a source of electrons (col.5, lines 60-62), using multiple radiation energy levels (equivalent to multi channel) output (figure 6, 30 sub1 through 30 sub n and col.4, lines 56-67 and col.5, lines 1-12) from a single electron accelerator (figure 6, 10), the output is in vacuum connection with the electron accelerator (figure 6, 10, 30 sub 1, 16 sub1 and col.4, lines 44-54), manipulating the output assembly so that radiation is distributed over the treatment area (col.4, lines 49-53) to non-destructively sterilize the material (col.3, lines 56-64) and transporting the material through the treatment region (col.1, lines 47-49). As a result, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including multiple radiation energy levels output as taught by the Korenev reference in order to broaden

the sterilization applications of various objects by choosing between effective surface sterilization or depth sterilization of objects (col.1, lines 30-50).

With respect to claims 2 and 4, the specification teaches on page 4, numbered lines 10-22 that single beam linear induction accelerators (LIA) are used as sterilizers; however, the specification fails to teach using LIA with multiple radiation energy levels output and manipulating the output assembly by causing the beam or beams to sweep across the treatment area associated with each output. The Korenev reference, which is in the art of sterilizing products conveyed through a treatment region by irradiating them with an electron accelerator, teaches the following: any type of linear accelerator can be used as a source of electrons (col.5, lines 60-62), using multiple radiation energy levels (equivalent to multi channel) output (figure 6, 30 sub1 through 30 sub n and col.4, lines 56-67 and col.5, lines 1-12) from a single electron accelerator (figure 6, 10) and manipulating the output by causing the beam or beams to sweep across the treatment area associated with each output (col.4, lines 49-53). As a result, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including an electron beam magnetic oscillator at the output as taught by the Korenev reference in order to insure that all the surfaces of an object is irradiated (col.4, lines 49-52).

With respect to claims 3 and 5, the specification teaches on page 4, numbered lines 18-19 that device is capable of producing X-ray radiation.

5. Claims 6-7, 10-12 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted state of the prior art n view of Korenev (U.S.P.N.

6,628,750) as applied to claim 1 and further in view of Schonberg et al (U.S.P.N. 5,357,291).

With respect to claim 6, both the admitted state of the prior art and the Korenev reference fail to teach the concept of defocusing the outputs, which overlap and mutually extend over the treatment region; however, the Schonberg reference, which is in the art of using linear induction accelerator (col.3, lines 55-60) to irradiate fluids, teaches the use of means to defocus the electron beam (col.10, lines 25-26). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including defocusing means at the output as taught by the Schonberg reference in order to spread the beam substantially uniformly across the window resulting in improving the efficacy of sterilization (col.10, lines 25-26).

With respect to claims 10 and 15, the admitted state of the prior art does not mention generating, transferring the output in a horizontal direction and transporting the material vertically through the treatment region. The Korenev reference teaches generating and transferring the output in a vertical direction and transporting the material horizontally through the treatment region, but the Schonberg reference, which is in the art of using linear induction accelerator (col.3, lines 55-60) to irradiate fluids, teaches generating (figure 3, 11), transferring the output in a horizontal direction (figure 3, unlabeled electron arrow and 32) and transporting the material vertically through the treatment region (in figure 3, material to be treated enters the chamber vertically downward and upward through inlets 44 and is transported by pump 70 vertically

through outlets 24 in both directions). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art in view of the Korenev reference by including horizontal irradiation means as taught by the Schonberg reference in order to make the irradiation system transportable (col.2, lines 52-56).

With respect to claims 7, 11 and 16, the specification teaches on page 4, numbered lines 18-19 that device is capable of producing X-ray radiation.

With respect to claims 12 and 17, both the admitted state of the prior art and the Korenev reference fails to teach the concept of defocusing the outputs, which overlap and mutually extend over the treatment region; however, the Schonberg reference, which is in the art of using linear induction accelerator (col.3, lines 55-60) to irradiate fluids, teaches the use of means to defocus the electron beam (col.10, lines 25-26). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including defocusing means at the output as taught by the Schonberg reference in order to spread the beam substantially uniformly across the window resulting in improving the efficacy of sterilization (col.10, lines 25-26).

6. Claims 8-9, 13-14 and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted state of the prior art in view of Korenev (U.S.P.N. 6,628,750) and Schonberg et al (U.S.P.N. 5,357,291) as applied to claims 6, 12 and 17 and further in view of Blacker, Jr. et al (U.S.P.N. 4,704,565).

With respect to claims 8-9, 13-14 and 18-19, both the admitted state of the prior art and the Korenev reference fail to disclose manipulating the output by azimuthally-symmetrically or azimuthally-asymmetrically defocusing it. The Schonberg reference teaches placing defocusing means near the window (col.10, lines 25-26). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including defocusing means at the output as taught by the Schonberg reference in order to spread the beam substantially uniformly across the window resulting in improving the efficacy of sterilization (col.10, lines 25-26).

With respect to claims 8-9, 13-14 and 18-19, the Schonberg reference fails to explicitly disclose manipulating the output by azimuthally-symmetrically or azimuthally-asymmetrically defocusing it. The Blacker reference, which in the art of focusing electron beams generated from an electron source, teaches forming a circle spot (figure 1, 22, equivalent to azimuthally-symmetrical defocusing as mentioned in the specification on page 8, numbered lines 12-15) or an elongated spot (figure 2, 28, equivalent to azimuthally-asymmetrical defocusing as mentioned in the specification on page 8, numbered lines 12-15). As a result, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art in view of the Korenev and the Schonberg references by including means for forming beam spots of different shapes as disclosed by the Blacker reference since forming a small symmetrical beam spot is a major factor in achieving optimum resolution (col.1, lines 57-59).

Application/Control Number: 10/022,288 Page 8

Art Unit: 1744

Response to Amendment

7. The Affidavit under 37 CFR 1.132 filed 12/02/2005 is insufficient to overcome the rejection of claims 1-19 based upon obviousness rejections of Korenev, Korenev in view of Schonberg et al and Korenev in view of Schonberg et al and further in view of Blacker, Jr. et al as set forth in the last Office action because the Affidavit does not provide any probative objective evidence that is supported by actual proof. In addition, the underlying basis of the applicant's opinion is not persuasive when the totality of obviousness rejection is considered. See MPEP 716.01 (c), parts I and III.

Response to Arguments

8. Applicant's arguments filed on 12/02/2005 have been fully considered but they are not persuasive.

On page 5 of the Remarks section, applicant argues that, "A multi-channel linear induction accelerator is not simply a linear accelerated with multiple radiation energy level outputs." The examiner disagrees. The specification on bottom of page 4 through page 6 describes an MLIA as an accelerator that produces multiple electron beams. After page 6, the specification only mentions MLIA without any additional disclosure as to how MLIA it self functions. The drawings show that if more than one electron beam is needed, then more MLIA devices are combined. Compare figure 1 with figures 3-4. Clearly as the disclosure and the instant claims stand the MLIA is like the accelerator of the Korenev reference produces multiple electron beams outputs (figure 6, 30 sub1 through 30 sub n and col.4, lines 56-67 and col.5, lines 1-12) from a single electron accelerator (figure 6, 10).

On bottom of page 5 of the Remarks section, applicant argues that, "Specifically, in an MLIA the acceleration channels of any two neighboring linear acceleration blocks are directed reciprocally opposite to one another." Neither the instant disclosure nor the instant claims teach such a feature.

On top of page 6 of the Remarks section, applicant continuous to disclose all the advantages associated with the MLIA; however, such features are not recited in the instant claims.

On page 6 of the Remarks section, applicant argues that, "It should be further noted that there is no teaching or suggestion in the references as to how a single linear induction accelerator could be modified to have a plurality of energy level outputs. The examiner disagrees since one of the reasons for combining the Korenev reference with the admitted state of the prior art is the concept of using multiple radiation energy levels outputs in a radiation device in the art of sterilizing materials. Note that the admitted state of the prior art teaches that LIA devices are used as sterilizer. Clearly, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teaching of the admitted state of the prior art by including multiple radiation energy levels output as taught by the Korenev reference in order to broaden the sterilization applications of various objects by choosing between effective surface sterilization or depth sterilization of objects (col.1, lines 30-50).

On page 6 of the Remarks section, applicant argues that, "This should be contrasted with Korenev, where only a single output acts on a give treatment region."

The examiner disagrees since the Korenev reference teaches manipulating the multiple

outputs by causing the various beams to sweep across the treatment area associated with each output (col.4, lines 49-53).

On page 7 of the Remarks section, applicant argues that, "If the defocusing element of Schonberg were added to each output of Korenev, the result would simply be the defocusing of each output onto its designated product." The examiner disagrees since the Korenev reference teaches multiple output electron beams that are swept across the treatment area such that placing the defocusing elements on the outputs of the Korenev reference would result, just like instant claim 6, with multiple electron outputs that overlap to cover the entire treatment area.

On page 8 of the Remarks section applicant argues that, "Blacker addresses the exact opposite situation where the output is desired to be focused on as small a region as possible. As such Blacker is completely inapplicable to the problem at hand." The examiner disagrees since the Blacker reference, which in the art of focusing electron beams generated from an electron source, teaches forming a circle spot (figure 1, 22, equivalent to azimuthally-symmetrical defocusing as mentioned in the specification on page 8, numbered lines 12-15) or an elongated spot (figure 2, 28, equivalent to azimuthally-asymmetrical defocusing as mentioned in the specification on page 8, numbered lines 12-15).

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MONZER R. CHORBAJI whose telephone number is (571) 272-1271. The examiner can normally be reached on M-F 9:00-5:30.

Application/Control Number: 10/022,288 Page 11

Art Unit: 1744

10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, GLADYS J. CORCORAN can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Monzer R. Chorbaji NRC Patent Examiner AU 1744 03/03/2006 LADYS J.P. CORCORAN PRIMARY EXAMINER